|| Sri Gangamma Krupe ||

ಸಮೃದ್ಧಿ

Bharath : 98459 93652
Kavitha : 9964702826

SAMRUDHI GROUND WATER CONSULTANT

J P Park, Muthyala Nagar, Bangalore - 560 054

REPORT ON GROUND WATER INVESTIGATION

02-05-2019

Name : Exactive Engineer

Address: BBMP project Division, Yelahanka Zone

Location: Shree Balaji Layout Singapa Topography black & white

Soil Type : Gravity Soil Rock Type: Hard Rock





RECOMMENDATIONS

Dia of Bore well Bit : 6½" Water Level :

Depth Recommended : 800 - 900 feet Yield : 340" 500" 720"

Casing Pipe Required : 70 - 80 feet Aquifers : 2½" - 3" water

PVC Outer Casing if Required: YES Point Location : 1 ☐ ☐ ☐

Remarks: — — — —

Rain Water Harvesting Compulsory

Note : The survey was carried out by this divining / Geophysical method of Surveying is with our good Knowledge and experience, However no guarantee of Water will be given

Asst. Executive Engineer
Project Division
Yelahanka Zone

Mr. Bharath Raj

|| Sri Gangamma Krupe ||

ಸಮೃದ್ಧಿ

Bharath : 98459 93652
Kavitha : 9964702826

SAMRUDHI GROUND WATER CONSULTANT

J P Park, Muthyala Nagar, Bangalore - 560 054

REPORT ON GROUND WATER INVESTIGATION

16-03-2019

Name : Excutive Engineer
Division

Address: BBMP, project Yelahanka Zone

Location: Gangamma Gudi Kothanur Topography black & white

Soil Type : Gravity Soil Rock Type: Hard Rock





RECOMMENDATIONS

Dia of Bore well Bit : 6½" Water Level : _____

Depth Recommended : 700 - 800 feet Yield : 310" 540" 720"

Casing Pipe Required : 70 - 80 feet Aquifers : 2½" – 3". water

PVC Outer Casing if Required: YES Point Location : 1 ☐ ☐ ☐

Remarks: — — — —

Rain Water Harvesting Compulsory

Note : The survey was carried out by this divining / Geophysical method of Surveying is with our good Knowledge and experience, However no guarantee of Water will be given

Asst. Executive Engineer
Project Division
Yelahanka Zone
Bangalore

Mr. Bharath Raj

|| Sri Gangamma Krupe ||

ಸಮೃದ್ಧಿ

Bharath : 98459 93652
Kavitha : 9964702826

SAMRUDHI GROUND WATER CONSULTANT

J P Park, Muthyala Nagar, Bangalore - 560 054

REPORT ON GROUND WATER INVESTIGATION

24-04-2019

Name : Excutive Engineer

Address: BBMP Project Division, Yelahanka Zone.

Location: near Ayeksha Hospital Topography black & white

Soil Type : Gravity Soil Rock Type: Hard Rock





RECOMMENDATIONS

Dia of Bore well Bit : 6½" Water Level : _____

Depth Recommended : 700 – 800 feet Yield : 300" 510" 700"

Casing Pipe Required : 70 – 80 feet Aquifers : 2½" - 3" water

PVC Outer Casing if Required: YES Point Location : 1 ☐ ☐ ☐

Remarks: — — — —

Rain Water Harvesting Compulsory

Note : The survey was carried out by this divining / Geophysical method of Surveying is with our good Knowledge and experience, However no guarantee of Water will be given

Asst. Executive Engineer
Project Division
Yelahanka Zone
Bangalore

Mr. Bharath Raj

|| Sri Gangamma Krupe ||

ಸಮೃದ್ಧಿ

Bharath : 98459 93652
Kavitha : 9964702826

SAMRUDHI GROUND WATER CONSULTANT

J P Park, Muthyala Nagar, Bangalore - 560 054

REPORT ON GROUND WATER INVESTIGATION

12-04-2019

Name : Exutive Engineer

Address: BBMP project Division, Yelahanka Zone

Location: VinayaKnagara Topography black & white

Soil Type : Gravity Soil Rock Type: Hard Rock





RECOMMENDATIONS

Dia of Bore well Bit : 6½" Water Level :

Depth Recommended : 800 to 900 feet Yield : 300" 350" 800"

Casing Pipe Required : 70 = 80 feet Aquifers : 2½" – 3" water

PVC Outer Casing if Required: YES Point Location : 1 ☐ ☐ ☐

Remarks: — — — —

Rain Water Harvesting Compulsory

Note : The survey was carried out by this divining / Geophysical method of Surveying is with our good Knowledge and experience, However no guarantee of Water will be given

Asst. Executive Engineer
Project Division
Yelahanka Zone

Mr. Bharath Raj

|| Sri Gangamma Krupe ||

ಸಮೃದ್ಧಿ

Bharath : 98459 93652
Kavitha : 9964702826

SAMRUDHI GROUND WATER CONSULTANT

J P Park, Muthyala Nagar, Bangalore - 560 054

REPORT ON GROUND WATER INVESTIGATION

19-03-2019

Name : Executive Engineer

Address: Yelahanka project Division, Yelahanka Zone, BBMP

Location: Gurtte Ganapthi Kuvempunagar Topography black & white

Soil Type : Gravity Soil Rock Type: Hard Rock





RECOMMENDATIONS

Dia of Bore well Bit : 6½" Water Level :

Depth Recommended : 800 - 900 feet Yield : 350" 600" 820"

Casing Pipe Required : 60 - 70 feet Aquifers : 2½" - 3" water

PVC Outer Casing if Required: YES Point Location : 1 ☐ ☐ ☐

Remarks: — — — —

Rain Water Harvesting Compulsory

Note : The survey was carried out by this divining / Geophysical method of Surveying is with our good Knowledge and experience, However no guarantee of Water will be given

Asst. Executive Engineer
Project Division
Yelahanka Zone
Bangalore

Mr. Bharath Raj

BORE WELL COMPLETION REPORT

SHIVABHAGYA AMMAN BOREWELLS

Mobile Number : 9731170031,9740717373

No.580, Kuvempunagara, Kengal Hanumanthaiah Road , Jalahalli East, Banglore-560014
E-mail:sivabhagyaammamborewell@gmail.com

No:

Date: 13/05/2019

1. Customer's Name And Address : Executive Engineer,
   With Telephone No. Yelahanka Project Division,
   Yelahanka zone, BBMP.
2. Well Location : Balaji layout, Singapura
3. Total Well Depth Drilled In Ft. : 220.00 Mtr
4. Casing Erected In Ft. : 42.00 Mtr
5. Water Struck At The Depth Of : 178.00 Mtr
6. Total Yield (Measuring Method "V" Notch : 2-50 / Inches On "V" Notch
7. Formation Of Soil / Well Water Condition : Boulders/Silt/Loose Soil/Clear Clear .
8. At The Depth Of : -
9. Recommended To Use Jet Pump / Air Compressor / Submersible/ Hand Pump

upto 17.5HP 30 Stage .

The Borewell Was Drilled In Accordance With The Company Terms And Conditions And Handed Over To Customer In Good/ Satisfied/Party Agreed Conditions.

Once The Well Handed Over To Party, Company Is No Way Responsible For Future Developments If Anything In The Well Or What So Ever

Party's signature

I, owner of the Well / (Authorized signatory) fully understood the terms and conditions and the well complet... fully understood the quality of water from the well duly depend upon the nature / formation of groun... agency no way responsible for future occurrence / changes in the bore with full satisfaction. I he...

For

Party's signature

SIVABAGYA AMMAN BOREWELL
K.V.P. Nagar Post, 1st Stage
1st Cross, Jalahalli East
BANGALORE - 560 014

Asst. Executive Engineer
Project Division
Yelahanka Zone

BORE WELL COMPLETION REPORT

SHIVABHAGYA AMMAN BOREWELLS

Mobile Number : 9731170031,9740717373

No.580, Kuvempunagara, Kengal Hanumanthaiah Road , Jalahalli East, Banglore-560014
E-mail:sivabhagyaammanborewell@gmail.com

No:

Date: 03/05/2019

1. Customer's Name And Address : Executive Engineer,
   With Telephone No. Yelahanka Project Division,
   Yelahanka Zone, BBMP.
2. Well Location : Vinayaka Nagar
3. Total Well Depth Drilled In Ft. : 360-00 Mtr
4. Casing Erected In Ft. : 42-00 Mtr.
5. Water Struck At The Depth Of : 232-00 Mtr.
6. Total Yield (Measuring Method "V" Notch : 2-25 / Inches On "V" Notch
7. Formation Of Soil / Well Water Condition : Boulders/Silt/Loose Soil/Clear Boulders.
8. At The Depth Of : -
9. Recommended To Use Jet Pump / Air Compressor / Submersible / Hand Pump

   upto 7.5HP 30 Stage.

The Borewell Was Drilled In Accordance With The Company Terms And Conditions And Handed Over To Customer In Good/ Satisfied/Party Agreed Conditions.

Once The Well Handed Over To Party, Company Is No Way Responsible For Future Developments If Anything In The Well Or What So Ever

Party's signature

I, owner of the Well / (Authorized signatory) fully understood the terms and conditions and the well completion report. I also fully understood the quality of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for future occurrence / changes in the bore with full satisfaction. I hereby endorse my signature

Party's signature

Asst. Executive Engineer
Project Division
Yelahanka Zone
Bangalore

For: SHIVABHAGYA AMMAN BOREWELLS

Manager / proprietor

BORE WELL COMPLETION REPORT

SHIVABHAGYA AMMAN BOREWELLS

Mobile Number : 9731170031,9740717373

No.580, Kuvempunagara, Kengal Hanumanthaiah Road , Jalahalli East, Banglore-560014
E-mail:sivabhagyaammanborewell@gmail.com

No:

Date: 25/04/2019.

1. Customer's Name And Address : Executive Engineer,
   With Telephone No. Yelahanka Project Division,
   Yelahanka Zone, BBMP
2. Well Location : Gudda Vinayaka Temple - Kuvempunagara.
3. Total Well Depth Drilled In Ft. : 240.00 mtr
4. Casing Erected In Ft. : 48.00 mtr
5. Water Struck At The Depth Of : 235.00 mtr
6. Total Yield (Measuring Method "V" Notch : 2-0 / Inches On "V" Notch
7. Formation Of Soil / Well Water Condition : Boulders/Silt/Loose Soil/Clear Clear.
8. At The Depth Of : -
9. Recommended To Use Jet Pump / Air Compressor / Submersible/ Hand Pump

upto 17.5 HP 30 Stage

The Borewell Was Drilled In Accordance With The Company Terms And Conditions And Handed Over To Customer In Good/ Satisfied/Party Agreed Conditions.

Once The Well Handed Over To Party, Company Is No Way Responsible For Future Developments If Anything In The Well Or What So Ever

Party's signature

I, owner of the Well / (Authorized signatory) fully understood the terms and conditions and the well completion report. I also fully understood the quality of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for future occurrence / changes in the bore with full satisfaction. I hereby endorse my signature

Asst. Executive Engineer
Project Division
Yelahanka Zone
Bangalore

SIVABAGYA AMMAN BOREWELL
K.V.P. Nagar Post, 1st Stage
1st Cross, Jalahalli East
BANGALORE - 560 014

For: SHIVABHAGYA AMMAN BOREWELLS

M. Sreenivasa Murthy.

Party's signature

Manager / ~~proprietor~~

BORE WELL COMPLETION REPORT

SHIVABHAGYA AMMAN BOREWELLS

Mobile Number : 9731170031,9740717373

No.580, Kuvempunagara, Kengal Hanumanthaiah Road , Jalahalli East, Banglore-560014
E-mail:sivabhagyaammanborewell@gmail.com

No:

Date: 02/05/2019

1. Customer's Name And Address : Executive Engineer,
   With Telephone No. Yelahanka Project Division,
   Yelahanka Zone, BBMP.
2. Well Location : Near Iveksha Hospital, Rajeshwari Layout
3. Total Well Depth Drilled In Ft. : 275.00 Mtr
4. Casing Erected In Ft. : 48.00 Mtr
5. Water Struck At The Depth Of : 215.00 Mtr
6. Total Yield (Measuring Method "V" Notch : 2.25 / Inches On "V" Notch
7. Formation Of Soil / Well Water Condition : Boulders/Silt/Loose Soil/Clear Red soil
8. At The Depth Of : —
9. Recommended To Use Jet Pump / Air Compressor / Submersible/ Hand Pump

   upto 17.5 HP 30 Stage.

The Borewell Was Drilled In Accordance With The Company Terms And Conditions And Handed Over To Customer In Good/ Satisfied/Party Agreed Conditions.

Once The Well Handed Over To Party, Company Is No Way Responsible For Future Developments If Anything In The Well Or What So Ever

Party's signature

I, owner of the Well / (Authorized signatory) fully understood the terms and conditions and the well completion report. I also fully understood the quality of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for future occurrence / changes in the bore with full satisfaction. I hereby endorse my signature

Asst. Executive Engineer
Project Division
Yelahanka Zone
Bangalore

For: SHIVABHAGYA AMMAN BOREWELLS

M. Sreenivasan

Party's signature

SIVABAGYA AMMAN BOREWELL
K.V.P. Nagar Post, 1st Stage
1st Cross, Jalahalli East
BANGALORE - 560 014

Manager / proprietor

BORE WELL COMPLETION REPORT

SHIVABHAGYA AMMAN BOREWELLS

Mobile Number : 9731170031,9740717373

No.580, Kuvempunagara, Kengal Hanumanthaiah Road , Jalahalli East, Banglore-560014
E-mail:sivabhagyaammamborewell@gmail.com

No:

Date: 24/04/2019

1. Customer's Name And Address : Executive Engineer,
   With Telephone No. Yelahanka Project Division,
   Yelahanka Zone, BBMP.
2. Well Location : GangammaGudi - Kalathur Layout
3. Total Well Depth Drilled In Ft. : 182.00 Mtr
4. Casing Erected In Ft. : 36.00 Mtr
5. Water Struck At The Depth Of : 155.00 Mtr
6. Total Yield (Measuring Method "V" Notch : 2.50 / Inches On "V" Notch
7. Formation Of Soil / Well Water Condition : Boulders/Silt/Loose Soil/Clear Boulders
8. At The Depth Of :
9. Recommended To Use Jet Pump / Air Compressor / Submersible/ Hand Pump

   upto 17.5 HP 30 stage

The Borewell Was Drilled In Accordance With The Company Terms And Conditions And Handed Over To Customer In Good/ Satisfied/Party Agreed Conditions.

Once The Well Handed Over To Party, Company Is No Way Responsible For Future Developments If Anything In The Well Or What So Ever

Party's signature

I, owner of the Well / (Authorized signatory) fully understood the terms and conditions and the well completion report. I also fully understood the quality of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for future occurrence / changes in the bore with full satisfaction. I hereby endorse my signature

Asst. Executive Engineer
Project Division
Yelahanka Zone
Bangalore

SIVABAGYA AMMAN BOREWELL
K.V.P. Nagar Post, 1st Stage
1st Cross, Jalahalli East
BANGALORE - 560 014

Party's signature

For: SHIVABHAGYA AMMAN BOREWELLS

Manager / proprietor